

Complexity-Based Link Assignment for NASA's Deep Space Network for Follow-the-Sun Operations



Jigna Lad, Mark D. Johnston, Daniel Tran, David Brown, Kenneth Roffo, and Carlyn Lee SpaceOps 2018 — Marseilles, France

Overview


- Deep Space Network (DSN)
- Follow-the-Sun Operations Paradigm Shift
- Role of Complexity-Based Link Assignment
 - architecture
 - interfaces
 - functionality
- Deployment and Status
- Conclusions


Deep Space Network (DSN)

- Network of 34- and 70-meter antennas in California, Madrid, and Canberra
 - All deep space missions use DSN for communications and navigation
- DSN is currently oversubscribed
 - 35 missions / science users dependent on DSN services
 - Limited network assets
 - Multi-use equipment (antenna testing / maintenance, calibration, science users)
- Small satellites represent new customer base for network




Deep Space Network Complexes and Antennas














Why complexity-based link assignment?

 Prior to Follow-the-Sun Operations (FtSO), each complex controlled 24x7 only their own 4 or 5 antennas



Why complexity-based link assignment?

 After the FtSO transition, each complex controls the entire network during their shift — making work assignments more challenging!



Solution

- Decision support software for Link Control Operators (LCOs) at the DSN complexes to manage workload and breaks
 - LCM = Link Complexity and Maintenance Software

Primary objective: assign links to operators automatically or interactively, considering:

- complexity profile of activity during link, from setup through end of teardown
- limits on number of links per operator and on maximum complexity per operator
- special rules for high intensity link phases such as 3- and 4-MSPA links, and MMS1/2/3/4 spacecraft transitions

Solution


- Decision support software for Link Control Operators (LCOs) at the DSN complexes to manage workload and breaks
 - LCM = Link Complexity and Maintenance Software

Primary objective: assign links to operators automatically or interactively, considering:


- complexity profile of activity during link, from setup through end of teardown
- limits on number of links per operator and on maximum complexity per operator
- special rules for high intensity link phases such as 3- and 4-MSPA links, and MMS1/2/3/4 spacecraft transitions

Secondary objective: support scheduling of site-local maintenance activities within allocated DSN maintenance windows


LCM Context



Schedule Displays




Link Assignment and Assist Dialog



Features


- Assign links to operators
- Model complexity profiles




Find and resolve conflicts





Support break planning





Maintenance Planning





Status

